



DAILY COMFORT. 8-HOUR SHIFTS.

An anti-fatigue mat designed for daily standing comfort across full shifts of up to 8 hours.

- 12.7 mm thick high-density foam.
- Provides increased cushioning and durability while remaining easy to handle and simple to maintain.

CUSHIONING High	PRESSURE DIST. High	BOUNCE-BACK High	SURFACE GRIP Standard	FLOOR GRIP Standard
---------------------------	-------------------------------	----------------------------	---------------------------------	-------------------------------

RECOMMENDED USE

Engineered to support daily standing work in dry areas across full working shifts.

GUIDANCE

- For full shifts up to 8 hours.
- Suitable for medium to large user sizes.

CONFIGURATIONS

- Standard mats: ready-to-use fixed sizes
- Roll format: full rolls for long work areas
- Per metre: cut to the exact length needed

2-Year Warranty

Covering manufacturing defects

DRY
USE ONLY

M / L
USER SIZE

8 HRS
PER SHIFT

UK
DISPATCH



TECHNICAL SPECIFICATIONS

Material	High-density performance foam
Thickness	12.7 mm
Operating Temperature Range	10°C – 70°C
Moisture Resistance	Not recommended
Oil Resistance	Not recommended
Chemical Resistance	Weak
REACH Compliant	Yes
Phthalate-Free	Yes
Recyclable	Yes – eligible for the Maximum Matting Circularity Programme
Warranty	2 years, covering manufacturing defects

INSTALLATION & MAINTENANCE

Prepare your surface: floor must be clean, dry, and free of dust or grease.

Place your mat: roll out and place in your work zone.

Routine cleaning: sweep or vacuum to remove dust and debris.

Equipment caution: use hand-held equipment only.

RECOMMENDED APPLICATIONS

The M2 Series suits environments where operators stand for full shifts. Ideal settings include:

- Light industrial workstations
- Assembly and packing areas
- Retail counters and point-of-sale zones
- Offices with sit-standing desks
- Workshops and maintenance benches



Available Sizes — M2 Series

BLACK & YELLOW · DIAMOND PLATE SURFACE				
ARTICLE NO.	DIMENSIONS	WEIGHT	THICKNESS	FORMAT
M2S0023DIBY	60 cm x 91 cm	2.2 kg	12.7 mm	Standard Mat
M2S0034DIBY	91 cm x 120 cm	4.4 kg	12.7 mm	Standard Mat
M2S0035DIBY	91 cm x 150 cm	5.5 kg	12.7 mm	Standard Mat
M2S0333DIBY	91 cm x 10m	36.9 kg	12.7 mm	Standard Mat
M2S3200DIBY	91 cm x 200 cm	7.4 kg	12.7 mm	Standard Mat
M2S3250DIBY	91 cm x 250 cm	9.2 kg	12.7 mm	Standard Mat
M2S3300DIBY	91 cm x 300 cm	11.1 kg	12.7 mm	Standard Mat
M2S3400DIBY	91 cm x 400 cm	14.7 kg	12.7 mm	Standard Mat
M2S3500DIBY	91 cm x 500 cm	18.4 kg	12.7 mm	Standard Mat
M2S4200DIBY	122 cm x 200 cm	9.9 kg	12.7 mm	Standard Mat
M2S4300DIBY	122 cm x 300 cm	14.8 kg	12.7 mm	Standard Mat
M2R0260DIBY	60 cm x 18.3 m	44.5 kg	12.7 mm	Full Roll
M2R0360DIBY	91 cm x 18.3 m	67.4 kg	12.7 mm	Full Roll
M2R0460DIBY	122 cm x 18.3 m	90.4 kg	12.7 mm	Full Roll
M2C0200DIBY	60 cm per linear meter	2.4 kg/m	12.7 mm	Cut to Length
M2C0300DIBY	91 cm per linear meter	3.7 kg/m	12.7 mm	Cut to Length
M2C0400DIBY	122 cm per linear meter	4.9 kg/m	12.7 mm	Cut to Length



GREY · BUBBLE SURFACE				
ARTICLE NO.	DIMENSIONS	WEIGHT	THICKNESS	FORMAT
M2S0023BUGY	60 cm x 91 cm	2.2 kg	12.7 mm	Standard Mat
M2S0034BUGY	91 cm x 120 cm	4.4 kg	12.7 mm	Standard Mat
M2S0035BUGY	91 cm x 150 cm	5.5 kg	12.7 mm	Standard Mat
M2S0333BUGY	91 cm x 10m	36.9 kg	12.7 mm	Standard Mat
M2S3200BUGY	91 cm x 200 cm	7.4 kg	12.7 mm	Standard Mat
M2S3250BUGY	91 cm x 250 cm	9.2 kg	12.7 mm	Standard Mat
M2S3300BUGY	91 cm x 300 cm	11.1 kg	12.7 mm	Standard Mat
M2S3400BUGY	91 cm x 400 cm	14.7 kg	12.7 mm	Standard Mat
M2S3500BUGY	91 cm x 500 cm	18.4 kg	12.7 mm	Standard Mat
M2S4200BUGY	122 cm x 200 cm	9.9 kg	12.7 mm	Standard Mat
M2S4300BUGY	122 cm x 300 cm	14.8 kg	12.7 mm	Standard Mat
M2R0260BUGY	60 cm x 18.3 m	44.5 kg	12.7 mm	Full Roll
M2R0360BUGY	91 cm x 18.3 m	67.4 kg	12.7 mm	Full Roll
M2R0460BUGY	122 cm x 18.3 m	90.4 kg	12.7 mm	Full Roll
M2C0200BUGY	60 cm per linear meter	2.4 kg/m	12.7 mm	Cut to Length
M2C0300BUGY	91 cm per linear meter	3.7 kg/m	12.7 mm	Cut to Length
M2C0400BUGY	122 cm per linear meter	4.9 kg/m	12.7 mm	Cut to Length